

ADVANCING EARTH AND SPACE SCIENCE CONFERENCE

INCREASING OF CARBON EMISSION FROM BIOMASS BURNING DUE TO THE TEMPERATURE RISING AND PRECIPITATION REDUCTION IN THE AMAZON



¹ Remote Sensing Division, National Institute for Space Research (INPE), São José dos Campos, Brazil. ² Earth System Science Center (CCST), National Institute for Space Research (INPE), São José dos Campos, SP, Brazil ³Nuclear and Energy Research Institute (IPEN), SP, Brazil ⁴ School of Geography, University of Leeds, Leeds LS92JT, UK. ⁵Global Monitoring Division, Earth System Research Laboratory, National Oceanic and Atmospheric Administration (NOAA), Boulder, Colorado 80305, USA. ⁶National Center for Monitoring and Early Warning of Natural Disasters - CEMADEN, São José dos Campos, SP, Brazil.

BACKGROUND

- Recent droughts have increased the magnitude and frequency of the **forest fires** in the **Amazon**;
- Amazon has become a Carbon source due to the rising of the Carbon emission from **biomass burned** in the **EI Niño** events.
- **HYPOTHESIS**

METHODS

- Amazon will become a Carbon source even in **non-droughts years**, due to the increase of forest fires.
- Estimate the gross Carbon emission from forest fires;

OBJECTIVE

Estimate the increase in **biomass burning** face to climate change scenario.

and Bring



























Acknowledgements: FAPESP (process FAPESP 2016/02018-2, 2018/14423-4), CNPq (process CNPq 480713/2013-8), ERC (European Research Council, program Horizon 2020), ERC (project GeoCarbon), MCTI, NOAA, IPEN and INPE.